

Remotely Piloted Aircraft System (RPAS) Operator Certificate (ROC)

This ROC is not based on ICAO SARPS and not based on European Rules due to Annex II of the Basic Regulation				
Types of Operation	Commercial operations with remotely RPAS			
	□ Agricultural inspections	□ Landscape inspections	Industrial inspections	
	√ Photography, film and video	□ Cartograph		
	□ Research	□ Surveillanc	e √Off shore	
	□ Other:			
Aircraft category and class	□ Aeroplane (A) ≤ 25 kg √Rotorcraft (H) ≤ 25 kg □ Other aircraft (OA) ≤ 25 kg	kg	 □ Aeroplane (A) 25 ≤ 150 kg □ Rotorcraft (H) 25 ≤ 150 kg □ Other aircraft (OA) 25 ≤ 150 kg 	
	Civil Aviation Aut The Netherlar			
ROC: 17/2016 versie 2	Eagle Eye Inspection Services B.V. Bedrijfsweg 15-B 1785 AK Den Helder		Accountable manager: Mr. M. Vaandrager Safetymanager: Mr. M. Vaandrager	
Expiry Date: Indefinite	Telephone: +31 (0)88 20 Email: <u>m.vaandrager</u>			
The remotely piloted aircraft system operator Eagle Eye Inspection Services B.V. has the professional ability and organization to safely exploit an unmanned RPA and accompanying ground station, the required operating system and other components specified in the technical assessment document of the RPAS. See the conditions on page 2 and 3.				
Date of issue: 20 June 2016	For the competent authority: The State Secretary for Infrastructure and the Environment on behalf, Inspector Civil Aviation Authority The Netherlands,			
	A.E. Schurink-v.d. Klugt			

Operations Specification (SUBJECT TO THE APPROVED CONDITIONS IN THE OPERATIONS MANUAL)

Civil Aviation Authority The Netherlands

Telephone: +31 88 489 0000		Email: aviation-approvals@ilent.nl
ROC: 17/2016 v2		Signature Authority:
Issue Date: 20 June 2016	Eagle Eye Inspection Services B.V. Bedrijfsweg 15-B 1785 AK Den Helder	A.E. Schurink-v.d. Klugt
RPA(s):	with a valid registration and with a valid CofA in the aircraft category and class as approved in the ROC	
Pilot(s):	with a valid RPA-L who can operate in line with the operations manual	
Initial ROC:	Operations manual	version 9
	Pilot RPA-L	Mr. M. Vaandrager
	RPAS type	Altura Zenith ATX8
	Nationality and registration marking	PH-1IR
Area of Operation:	Amsterdam FIR	

Operational conditions:

- > VLOS: visual line of sight (max 500 m from pilot),
- VFR-daylight only,
- > max 400 ft AGL
- > Only above unpopulated area:

Aerial work with an RPA not above and with an horizontal distance of at least:

- 150 meter from
 - > an open air assembly of persons (more than 12 persons),
 - > congested areas of cities, towns or settlements,
 - > highways (max speed 100, 120, 130 km/h) or
 - > roads with a max speed limit of 80 km/h.
- 50 meter from
 - > industrial areas and harbors,
 - > trains, cars and vessels.

Operations Specification (SUBJECT TO THE APPROVED CONDITIONS IN THE OPERATIONS MANUAL) **Civil Aviation Authority The Netherlands** Telephone: +31 88 489 0000 Email: aviation-approvals@ilent.nl **ROC: ROC 17/2016 v2 Signature Authority: Eagle Eye Inspection** Services B.V. Issue Date: 20 June 2016 A.E. Schmink . odklugs **Bedrijfsweg 15-B** 1785 AK Den Helder A.E. Schurink-v.d. Klugt Additional information Special Approvals/exemptions EVLOS No Civil CTRs (article 16 'Regeling op No afstand bestuurde luchtvaartuigen - Roabl) Military CTRs (article 16 Roabl) Nο Niederrhein CTR (article 16 Roabl) No Within 50 meters of ship, vehicle, Yes building, object, from or over roads with a maximum speed below 80 km/hour, railways (article 15,3 Roabl) Above 400 ft AGL only within 25 No meter of the object that is higher than 400 ft AGL (article 14 Roabl) North Sea Area Amsterdam (Off-Yes including exemption shore in NSAA) with exemption for mandatory carriage of flights without radio-contact in the Mode S SSR transponder RMZ and without Mode S SSR and radio transponder in the TMZ (art 5.5 flights in a HPZ or HTZ are Law Aviation) only allowed if they are coordinated with the coordinator of that zone (AIP ENR 2.2 - 3.3.2.2); No flights are allowed in the pilotage areas (AIP ENR 2.2 - 3.3.2.2) Within 50 meters of obstacles incl Yes building within industrial area and harbor area (article 15, 2 Roabl + 5.5 LA) Within 50 meters from persons No and buildings on a professional filmset with professional actors (article 15,1 + 15,3 Roabl)